
Study Area Map





I-290 Phase I Study Area








Study Process & Timeline







CTA VISION STUDY ALTERNATIVES INITIAL ALTERNATIVES CARRIED FORWARD **IDENTIFY AND DEVELOP INITIAL ROUND 3 ROUND 2 ROUND 1 ALTERNATIVES** Draft Environmental Single Mode Remaining Single Combination Impact Statement Mode Alternatives Alternatives (DEIS) Alternatives Four Combination Highway/ Combinations of Highway Over 600 Stakeholder Individual Highway **Transit Alternatives** & Transportation Ideas Reviewed & Screened & Transportation Evaluated in Further Detail Improvements Evaluated to Smaller List Improvements Evaluated



1-290 Purpose and Need





Purpose

To provide an IMPROVED transportation facility along the I-290 Eisenhower Expressway multi-modal corridor.

FIVE SPECIFIC NEED POINTS TO BE ADDRESSED:



- > IMPROVE regional and local travel
- > IMPROVE access to employment
- > IMPROVE safety for all users
- > IMPROVE facility deficiencies





Benefits





AESTHETICS opportunities opportunities

Multi-Modal:

Improved design for motorists, bicyclists, and pedestrians
Wider sidewalks, new east-west and multi-use path

Transit Trips

Increase of 4,300 east-west daily transit trips

Travel time SAVINGS

56% in managed lanes 25% in general purpose





Productivity:

\$2.7 billion travel time savings

TIME = \$

SAFETY SAFETY FIRST

62% overall Safety Improvements

ACCESS to jobs increased by 398,000 within 60 Minutes



How are noise impacts determined?





Traffic noise studied at exterior locations of frequent human use

"Receptors"

Traffic Noise Impacts

Future Build Condition Only

Noise Abatement Criteria

- > By land use type noise sensitive uses
- > 67 dB(A) residential, park, school
- > 72 dB(A) restaurant, office

Substantial Noise Increase from **Existing Condition**

Does not occur for I-290 project



What is viewpoint solicitation?



This summer, noise wall locations will be re-evaluated between 1st Avenue and 25th Avenue.

- > Vote FOR or AGAINST the proposed noise wall
- Voting ballots and noise wall information mailed to anyone benefitted by a noise wall
- > Noise wall benefit is a *perceptible* noise reduction from a proposed wall
- Each wall is voted for separately
- > Two rounds of Balloting:

Round 1 Goal: 33% response rate for each wall Round 2 ballots resent for walls that did not receive 33% response in Round 1

At the end of Round 2, if greater than 50% of the ballots received are in favor of a wall, that noise wall will be recommended for implementation




Preliminary Preferred Alternative High Occupancy Toll 3+ & Supporting Transit














SUPPORTING TRANSIT:

- > Bus feeder service
- > Blue Line extension to Mannheim
 - > Initial service option bus in managed lane
 - > 1-290 corridor improvements will enable/leverage transit improvements



Blue Line Vision Study: Preliminary Findings



CTA focus on modernization of existing facility

Not planning for an extension at this time

Third Express Track Not Needed

- > Potential express service limited time savings
- > Insufficient ROW to add third track and 24' wide platforms in trench

Forest Park Terminal Modernization

- > Evaluating site for new terminal/yard/shop
- > Improved access to terminal bus/auto/pedestrians

Recommendations to Improve Stations

- > Wider platforms
- > ADA accessibility
- > Improved weather and noise protection



1-290 Study Schedule





May	June	July	August	September	October	November	December	January 2017
Stakeholder Coordination								
								Publish DEIS
Study	/ Comp	letion (F	EIS/ROD) -	- SUMMER 2	017			Public Hearing




Phase II (Design and Land Acquisition) — NOT FUNDED


Phase III (Construction) — NOT FUNDED



Spring 2016


6 Initial expressway access alternatives have been identified for evaluation to determine how to provide the best overall benefits for the Village of Maywood





ALL RAMPS INCLUDED


□ Updated interchanges at 25th Avenue & 1st Avenue






Spring 2016


6 Initial expressway access alternatives have been identified for evaluation to determine how to provide the best overall benefits for the Village of Maywood





Ramps Consolidated

- □ No ramps at 9th Avenue
- □ Updated interchanges at 25th Avenue & 1st Avenue




Ramps Consolidated


- ☐ Without ramps at 9th Avenue
- □ 2 Ramps at 17th Avenue
- □ Without frontage road connections at 1st Avenue
- □ Updated interchanges at 25th Avenue & 1st Avenue



Spring 2016


6 Initial expressway access alternatives have been identified for evaluation to determine how to provide the best overall benefits for the Village of Maywood





Ramps Consolidated

- □ Without ramps at 9th Avenue
- □ 2 Ramps at 17th Avenue
- □ Connect frontage roads to 25th Avenue
- □ Updated interchanges at 25th Avenue & 1st Avenue







Spring 2016

Summary of Results


- Safety, traffic, & travel related factors evaluated
 - Local & I-290 factors



- Alternatives 1 & 4 have similar overall performance
- Alternatives 1 & 6 address community context



Alternatives 1 & 6 recommended for further study






1st Ave. to 25th Ave. Improvements *PROPOSED COMMON FEATURES*

Spring 2016

The following improvements will be included as part of a consensus plan for I-290 reconstruction. A consensus plan must address a combination of factors, including community concerns, engineering, and the environment.


Bataan Dr. & Harrison St. Reconstruction

- Bataan Drive and Harrison Street will be completely reconstructed between 1st Avenue and 25th Avenue
- Additional greenspace will be provided between the expressway and frontage roads in some areas



Cross Road Bridge Improvements: 17th Ave, 9th Ave, 5th Ave


Existing local bridges over I-290 will be replaced and include wider sidewalks





Safer Prairie Path Crossing @ 1st Avenue

- No existing 1st Avenue crosswalk @ Prairie Path
- Protected crosswalk added @
 Prairie Path
- Modernized signals with pedestrian countdown timers
- Completes connection to the DesPlaines River bridge crossing to CTA Blue Line Terminal



Drainage Improvements (see accompanying boards)




1st Ave. to 25th Ave. Improvements *Existing Drainage Conditions*

Spring 2016

Village Combined Sewer System

The Village of Maywood has a combined sewer system. Both storm water & waste water are collected in the same pipe.




The Village sewers are limited in their conveyance capacity. During heavier intensity storm events, the runoff can flood the local Village streets and affect basements. Additionally, it also can add to the flooding that occurs to I-290.

Combined Village storm & waste water flows to the Metropolitan Water Reclamation District's (MWRD) sewer system.

Village Storm Water Overflow Area

• When the Maywood system is overwhelmed, water overflows to the Eisenhower Expressway, which is at a lower elevation than the Village.



- The Expressway drainage system is also undersized and floods, causing expressway closures during heavy rain storms
- When closed due to flooding, expressway traffic reroutes through the communities




1st Ave. to 25th Ave. Improvements *PROPOSED DRAINAGE IMPROVEMENTS*

Spring 2016

The following improvements will be included as part of a consensus plan for I-290 reconstruction. A consensus plan must address a combination of factors, including community concerns, engineering, and the environment.


Improved Expressway Drainage

As part of the reconstruction of I-290, the capacity of the highway drainage system will be increased, which will greatly reduce the occurrences of expressway flooding & expressway closures. Overflow from Maywood would continue to flow into the I-290 system.



Frontage Road & Local Drainage

- IDOT and MWRD have collaborated to develop a drainage system plan that will improve the expressway & frontage road drainage system, while also providing a benefit to the Village of Maywood. This will be a joint effort between IDOT, MWRD and the Village of Maywood
- Large storm sewer pipes will be constructed under Harrison St. & Bataan Dr. to let stormwater flow directly to the Des Plaines River & bypass the combination sewer system.



- The Village will be able to extend storm sewers on the intersecting side streets, allowing for reduction of runoff within the combined sewer system. The diversion of these flows will mitigate the occurrence of street and basement flooding in the area.
- This will greatly reduce flooding over 141 acres of local property & reduce the amount of storm water in the combination sewer system by 17% to 26% for an additional 643 acres, which increases its level of service.

